

# Full table of contents for Plant Ecology

## Chapter 1 Plants create the biosphere

- 1.1 Introduction: the importance of plants
- 1.2 The first land plants
- 1.3 Energy flow organizes molecules
- 1.4 Membranes are necessary for life
- 1.5 Eukaryotic cells originated as symbioses
- 1.6 The origin of photosynthesis
- 1.7 The oxygen revolution was a consequence of photosynthesis
  - 1.7.1 Ocean chemistry changes with oxygen
  - 1.7.2 Atmospheric composition changes with oxygen
  - 1.7.3 The ozone layer forms from oxygen
- 1.8 The Cambrian explosion of multicellular life
- 1.9 Plants affect climate
- 1.10 Sediment and ice cores provide a record of past environments
- 1.11 The biosphere
- 1.12 Conclusion

## Chapter 2 The search for global patterns

- 2.1 Introduction: there are two ways to classify plants and vegetation
- 2.2 Functional classifications are based upon ecological traits
  - 2.2.1 Functional classifications by von Humboldt, Raunkiaer and Kuchler
  - 2.2.2 Climate has a major impact upon plant traits
  - 2.2.3. Climate and life form are summarized as of biomes
  - 2.2.4 Functional classification systems have limitations
- 2.3 Phylogenetic classifications are based on evolutionary history
  - 2.3.1 Early plant classification by Linnaeus, Bentham and Hooker
  - 2.3.2 Plant evolution: Wallace, Darwin, and Bessey
  - 2.3.3 Molecular techniques provide new insights
  - 2.3.4 The two largest families of plants: Asteraceae and Orchidaceae
  - 2.3.5 Grasses and their significance
  - 2.3.6 World floristic regions are based on phylogeny and geography
  - 2.3.7 Some limitations of phylogenetic classifications for ecological research
- 2.4 Conclusion

## Chapter 3 Resources

- 3.1 Introduction: plants must find resources to grow
  - 3.1.1 The CHNOPS perspective
  - 3.1.2 The costs of acquisition
- 3.2 Carbon dioxide: foraging in an atmospheric reservoir
- 3.3 Light and photosynthesis: harvesting photons
  - 3.3.1 Three measures of photon harvest

- 3.3.2 There are different photosynthetic types
- 3.3.3 An exception to the rule: root uptake of CO<sub>2</sub>
- 3.3.4 Another view of photosynthetic types
- 3.3.5 Architecture affects photon harvesting
- 3.3.6 The overriding importance of height
- 3.4 Below-ground resources
  - 3.4.1 Water
  - 3.4.2 Nitrogen
  - 3.4.3 Phosphorus
  - 3.4.4 Experimental tests for nitrogen and phosphorus limitation
  - 3.4.5 Other sources of evidence for nutrient limitation
  - 3.4.6 Mineral nutrients: a single cell perspective
- 3.5 Resources affect entire ecosystems
  - 3.5.1 Primary production is controlled by resources
  - 3.5.2 Soils are produced by two causal factors
  - 3.5.3 Life after death: soils, detritivores, and decomposers
  - 3.5.4 Soil resources have altered human history
  - 3.5.5 Two historical digressions: Jean Baptiste von Helmont and Titus Smith
- 3.6 Resources vary in space and time
  - 3.6.1 There is small scale heterogeneity
  - 3.6.2 Resources often change along gradients
  - 3.6.3 Resources often occur in transitory patches
  - 3.6.4 Resource fluctuations complicate short-term ecological studies
  - 3.6.5 Resources provide a habitat template
- 3.7 Scarce resources have many consequences
  - 3.7.1 Evergreen plants conserve scarce resources
  - 3.7.2 Global patterns in leaf architecture: the leaf economic spectrum
  - 3.7.3 Bizarre botany: some strange evolution for resource acquisition
- 3.8 Conclusion

## Chapter 4 Competition

- 4.1 Introduction: plants struggle against one another for resources
- 4.2 There are many kinds of competition
  - 4.2.1 Intraspecific competition
  - 4.2.2 Distinguishing between intraspecific and interspecific competition
  - 4.2.3 Competition intensity
  - 4.2.4 Competitive effect and competitive response
  - 4.2.5 Competitive dominance
- 4.3 Competition has many consequences
  - 4.3.1 Self-thinning in monocultures
  - 4.3.2 Dominance patterns in monocultures
  - 4.3.3 Density dependence in annual plants
  - 4.3.4 The relationship between intensity and asymmetry of competition
- 4.4 Competitive hierarchies are common
  - 4.4.1 Methods for establishing hierarchies

- 4.4.2 The consistency of hierarchies among habitats
- 4.4.3 Light and shoot size as key factors producing hierarchies
- 4.5 Competition gradients are widespread
  - 4.5.1 Measuring competition intensity along gradients
  - 4.5.2 Competition intensity gradients in an old field
  - 4.5.3 Competition and cacti
  - 4.5.4 Competition intensity along a soil depth gradient
  - 4.5.5 Competition intensity gradients in wetlands
  - 4.5.6 Competition along an altitudinal gradient
- 4.6 Foraging ability might be a competitive trait
- 4.7 Mycorrhizae can affect competition
- 4.8 Two competition models
  - 4.8.1 The problem of coexistence
  - 4.8.1 Patch dynamics: a model
  - 4.8.2 Gradients and zonation: a model
- 4.9 The role of models in ecology
- 4.9 Conclusion

## Chapter 5 Disturbance

- 5.1 Introduction: disturbance removes biomass
- 5.2 Disturbance has four properties
- 5.3 Examples of disturbance
  - 5.3.1 Fire disturbs many kinds of vegetation
  - 5.3.2 Erosion creates bare ground
  - 5.3.3 Animals create gaps in vegetation
  - 5.3.4 Burial
  - 5.3.5 Ice
  - 5.3.6 Waves
  - 5.3.7 Storms
- 5.4 Catastrophes have low frequency and high intensity
  - 5.4.1 Landslides
  - 5.4.2 Volcanic eruptions
  - 5.4.3 Meteor impacts
- 5.5 Measuring the effects of disturbance with experiments: two examples
  - 5.5.1 Forested watersheds at Hubbard Brook
  - 5.5.2 Marshes along the Ottawa River
- 5.6 Disturbance creates gap dynamics
  - 5.6.2 Many kinds of trees regenerate in gaps
  - 5.6.1 Buried seeds “seed banks” allow regeneration after disturbance
  - 5.6.3 Rivers create gaps by depositing sediment
- 5.7 Logging is a disturbance caused by humans
- 5.8 Multiple factors in plant communities: fire, flooding, and drought in the Everglades
- 5.9 Conclusion

## Chapter 6 Herbivores

- 6.1 Introduction: herbivores have large impacts upon plants
- 6.2 Observations on wildlife diets: four examples
  - 6.2.1 Herbivores in African grasslands
  - 6.2.2 Herbivorous insects in tropical forest canopies
  - 6.2.3 Giant tortoises on islands
  - 6.2.4 Herbivory in anthropogenic landscapes
- 6.3 Plants have defenses against herbivores
  - 6.3.1 Evolutionary context
  - 6.3.2 Structures that protect seeds: the strobilus
  - 6.3.3 Secondary metabolites also defend against herbivores
  - 6.3.4 Some cautions when interpreting anti-herbivore traits
  - 6.3.5 Food quality is predicted by nitrogen content
- 6.4 Field experiments expand understanding of herbivory
  - 6.4.1 Caterpillars consume deciduous forest canopies
  - 6.4.2 Land crabs can change the composition of tropical forest
  - 6.4.3 A large experiment on grasslands in Tanzania
  - 6.4.4 Some lessons for exclosure experiments
- 6.5 Empirical relationships uncover general patterns in herbivory
- 6.6 Some theoretical explorations
  - 6.6.1 Bottom-up or top-down?
  - 6.6.2 Trophic cascades
  - 6.6.3 Effects of selective herbivory on plant diversity
  - 6.6.4 A simple model of herbivory
  - 6.6.5 When herbivory becomes catastrophe
- 6.7 Two final examples of large scale changes from herbivores
  - 6.7.1 Mountain pine beetles change conifer forests
  - 6.7.2 White-tailed deer change deciduous forests
- 6.8 Conclusion

## Chapter 7 Positive interactions

- 7.1 Introduction: plants can cooperate with other plants, fungi and animals
  - 7.1.1 Definitions
  - 7.1.2 A brief history of positive interactions
- 7.2 Positive interactions occur between plants and plants
  - 7.2.1 Nurse plants
  - 7.2.2 Gradients illustrate how stress affects positive interactions
  - 7.2.3 Examples of positive interactions in wetlands
  - 7.2.4 Commensalism may be common in plant communities
- 7.3 There are many positive interactions between plants and fungi
  - 7.3.1 There are four kinds of mycorrhizae
  - 7.3.2 Ectomycorrhizae are vital to forests
  - 7.3.3 Mycorrhizae may be less important in wet habitats
  - 7.3.4 Measuring costs and benefits
  - 7.3.5 Lichens are somewhat different, and somewhat similar
  - 7.3.6 Fungi can also occur in shoots and leaves

- 7.4 Positive interactions between plants and animals: Part 1 Pollination
  - 7.4.1 Animals pollinate flowers
  - 7.4.2 Sexual reproduction has costs
  - 7.4.3 Pollination ecology was founded by Sprengel and Darwin
  - 7.4.4 Another example: some flowers are pollinated by flies
- 7.5 Positive interactions between plants and animals : Part 2 Seed dispersal
  - 7.5.1 Animals eat fruits and spread seeds
  - 7.5.2 Rodents, nuts and mast years
  - 7.5.3 Ants disperse seeds
  - 7.5.4 Can seed dispersal become an obligate mutualism?
- 7.6 Animals can defend plants from herbivores and competitors
- 7.7 Mathematical models of mutualism
  - 7.7.1 A population dynamics model
  - 7.7.2 A cost-benefit model
- 7.8 Mutualism generates complex networks
- 7.9 Conclusion

## Chapter 8 Time

- 8.1 Introduction: there are many time scales in ecology
- 8.2 Millions of years: the origin of the angiosperms and continental drift
  - 8.2.1 Flowering plants appear in the Cretaceous Era
  - 8.2.2 Continents derived from Gondwana have remarkable plant diversity
- 8.3 Thousands of years: the Pleistocene glaciations
  - 8.3.1 Erosion and deposition were caused by glacial ice
  - 8.3.2 Loess was deposited by wind
  - 8.3.3 Pluvial lakes expanded
  - 8.3.4 Drought affected tropical forests
  - 8.3.5 Sea level fell as ice sheets expanded
  - 8.3.6 Plant distributions changed
  - 8.3.7 Humans appeared and spread to new continents
  - 8.3.8 Sea levels rose as ice sheets melted
- 8.4 Hundreds of years: succession
  - 8.4.1 Succession is directional change in vegetation
  - 8.4.2 Four examples of succession
  - 8.4.3 Predictive models for plant succession
  - 8.4.4 More on mechanisms of succession
  - 8.4.5 There are disagreements about succession
- 8.5 Conclusion

## Chapter 9 Populations

- 9.1 Introduction: working with single species
- 9.2 Population models and exponential growth
- 9.3 How many seeds will a plant produce?
- 9.4 The fate of seeds

- 9.4.1 A typical type III survival curve
- 9.4.2 Quantitative studies of the fate of seeds
- 9.4.3 Dragon trees in deserts and seedlings in forests
- 9.5 What determines the size of seeds?
- 9.6 Clones and genets
- 9.7 A population study on the effects of herbivores
- 9.8 A population study on effects of seed transport along a gradient
- 9.9 Plant life spans
- 9.10 Size-structured models: population ecology of Brazil nut trees
- 9.11 Conclusion

## Chapter 10 Stress

- 10.1 Introduction: stress constrains growth
- 10.2 Habitats that lack resources: drought as a widespread example
  - 10.2.1 Deserts
  - 10.2.2 Grasslands
  - 10.2.3 Mediterranean shrublands
  - 10.2.4 Rock barrens
- 10.3 Habitats where resources are present, yet unavailable: peatlands
- 10.4 Habitats constrained by a regulator: cold
  - 10.4.1 Arctic and alpine plants
  - 10.4.2 Deciduous forests
- 10.5 Habitats constrained by a regulator: salinity
  - 10.5.1 Salinity, plant zonation, and physiological drought
  - 10.5.2 Stress, zonation and competition
  - 10.5.3 Salinity and pulses of regeneration
- 10.6 Two extreme cases of stress tolerance
  - 10.6.1 Endolithic plants
  - 10.6.2 Flooded plants
- 10.7 Pollution is a source of stress for plants
  - 10.7.1 Acid rain: lessons from the Smoking Hills
  - 10.7.2 Radiation: lessons from the Brookhaven National Laboratory
- 10.8 Some theory
  - 10.8.1 Concepts of stress and strain
  - 10.8.2 Competition is a source of stress
  - 10.8.3 Stress creates metabolic costs
  - 10.8.4 Evolution and risk aversion.
  - 10.8.5 Plants in stressed habitats have low growth rates
  - 10.8.6 The CSR synthesis
- 10.9 Stress acts at many scales
- 10.10 Conclusion

## Chapter 11 Gradients and plant communities

- 11.1 Introduction: gradients create pattern in plant communities

- 11.2 Describing pattern along obvious natural gradients
- 11.3 Multivariate methods for pattern detection
  - 11.3.1 The data matrix
  - 11.3.2 Measuring similarity
  - 11.3.3 Ordination techniques
  - 11.3.4 Ordinations based upon species data
  - 11.3.5 Ordinations can combine species and environmental data
  - 11.3.6 Functional simplification in ordination
- 11.4 Vegetation classification
  - 11.4.1 Phytosociology
  - 11.4.2 Classification for land management
- 11.5 Gradients and communities
  - 10.5.1 Clements and Gleason
  - 10.5.2 The temporary victory of the Gleasonian view
  - 10.5.3 Null models and patterns along gradients
- 11.6 Empirical studies of pattern along gradients
- 11.7 Conclusion

## Chapter 12 Diversity

- 12.1 Introduction: why are there so many kinds of plants?
- 12.2 Large areas have more plant species
- 12.3 Areas with more kinds of habitat have more plant species
- 12.4 Equatorial areas have more plant species
- 12.5 More examples of plant species diversity
  - 12.6.1 Mediterranean climate regions
  - 12.6.2 Carnivorous plants
  - 12.6.3 Deciduous forests
  - 12.6.4 Diversity, biogeography, and the concept of endemism
- 12.6 Models to describe species diversity at smaller scales
  - 12.7.1 Intermediate biomass
  - 12.7.3 Intermediate disturbance
  - 11.7.4 Centrifugal organization
- 12.7 Relative abundance – dominance, diversity, and evenness
- 12.8 Microcosm experiments on richness and diversity
- 12.9 Field experiments on richness and diversity
- 12.10 Implications for conservation
- 12.11 Conclusion

## Chapter 13 Conservation and management

- 13.1 Introduction: it is time to apply what we know
- 13.2 Some historic examples of vegetation degradation
  - 13.2.1 Ancient Assyria
  - 13.2.2 Ancient Rome
  - 13.2.3 Louisiana wetlands
  - 13.2.4 Easter Island

- 13.2.5 The Galapagos: Pinta Island
- 13.3 The world needs large protected areas
  - 13.3.1 Designing a protected area system
  - 13.3.2 There are different levels of protection
  - 13.3.3 Biological hotspots are a priority
  - 13.3.4 Large forests are a priority
  - 13.3.5 Large wetlands are a priority
  - 13.3.6 A global assessment of endemic plant conservation
- 13.4 Five advanced topics in conservation management
  - 13.4.1 Communities and ecosystems provide services
  - 13.4.2 A full protected area system has buffers and corridors
  - 13.4.3 There are thresholds in the process of degradation
  - 13.4.4 Restoration of degraded vegetation types
  - 13.4.5 Indicators allow for efficient monitoring
- 13.5 Conclusion

*Questions for Review*

*References*

*Glossary*

*Index*

*Enrichment Boxes*

Box 1 Box 1. Vladimir Vernadsky writes *La Biosphère*

Box 2 Alexander von Humboldt explores the Andes

Box 3 Takhtajan survives Stalin, genocide and two world wars.

Box 4 The composition and origin of the atmosphere

Box 5 Fritz Haber changes the global nitrogen cycle

Box 6 Big molecules have big consequences

Box 7 Testing for patterns in competitive relationships

Box 8 Warfare as a disturbance

Box 9 Naval stores and resin

Box 10 Design of exclosure experiments for herbivores

Box 11 Fortune favours the prepared mind: Bernhard Frank discovers mycorrhizae

Box 12 Mr. Hofmeister and the vanishing gametophyte

Box 13 Really big trees, really old trees

Box 14 The discovery of carnivorous plants

Box 15 Stress acts as a filter upon species pools

Box 16 Getting the history right: null models in ecology

Box 17 Gleason, Clements and a community structure continuum: a possible synthesis:

Box 18 Diversity indices

Box 19 The Park Grass Experiment at Rothamsted

Box 20 The plague of bush meat and the road to ruin

Box 21 Goats and desertification